



IRONING PRESSING MACHINERY - FUSING PRESSES

IRONING BUCKS FOR JACKETS FINAL FINISH IRONING



F6/C Egg-shaped buck, with heating.



FS-SFinishing buck for jackets, blouses and coats, with heating.



F17 Shoulder finish buck.



F3
Shoulder finish buck.



F1/C Universal sleeve buck, with heating.



F30 Universal sleeve buck.



F26Shoulder finish buck.



F29 Sleeveless blouse buck.

IRONING BUCKS FOR JACKETS UNDERPRESSING / PREPARATION IRONING





F16Double buck for jacket shoulder seam opening.



F11 Sleeve head seam buck.





F12 Collar buck.





F21Buck for front edge seam opening.



F6/C Egg-shaped buck, with heating.



F1/C Universal sleeve buck, with heating.

IRONING BUCKS FOR TROUSERS SEAM OPENING AND IRONING



F4/C Buck for trouser seam opening, with heating.



F27Buck for inside trouser back piece.



F20 Buck for crotch seam opening.



F6/C Egg-shaped buck, with heating.



Compact Ironing Table

The ideal solution that the smaller garment manufactures have been looking for. The Octopus' flexibility lies in its capability to mount up to five different bucks on it and work on them simultaneously, thus receiving a professional finish to jackets and trousers without having to invest in separate pressing equipment.

Primula S.A can provide a wide variety of bucks to suit each customers' individual needs and transform the Octopus to a specialized table, whether it is for finishing, opening seams or underpressing.



OCTOPUS Add value to your ironing

Comes with

All five swivel arms, suction regulator with 0-100% indicator, low foot pedal voltage 24V, ATB swivel bow, SIM silicone ironing mat and adjustable height with amortisseurs.

Optional

Different bucks that can been chosen, depending on the usage Vario suspension system with light Water spraying system Lighting system Iron rest for 2nd iron Extra kicker plate Voltage: 230V-1ph-50Hz

TECHNICAL CHARACTERISTICS

Working Surface 135 x 65cm

Adjustable heigh 75 - 90 cm through amortisseur

Heating Power 1000 W

Suction Power 0.75HP

Blowing Power 0.75HP (Optional)

Power Supply 400V-3ph-50Hz









Oruç Reis Mah. Giyimkent Sitesi 20. Sokak Truc keis Man, Giyimkent Sitesi 20, Sokak No; 23 Esenler - ISTANBUL Tel: (212) 438 12 28 - 29 Fax: (212) 438 12 30 Atişalanı V.D. 901 015 4031 - Tic. Sic. No: 604285-551867



14th km Thessaloniki - Kilkis P.O. Box 2006 GR-572 00 Thessaloniki, Liti, Greece T: +30 23940 71215 - F: +30 23940 71438 E: info@primula.gr

